United States Patent and Trademark Office

HA

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/710,012		06/11/2004	Chien-Chao Huang	2001.1531 / 24061.439	4011
42717	7590	08/23/2006		EXAMINER	
		ONE, LLP	ISAAC, STANETTA D		
901 MAIN DALLAS,	* · · · · · · · · · · · · · · · · · · ·	SUITE 3100 2	ART UNIT	PAPER NUMBER	
- 1				2812	
				DATE MAILED: 08/23/200	6

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary			pplication No. Applicant(s)						
			012	HUANG ET AL.					
			er	Art Unit					
		Stanetta	D. Isaac	2812					
Period fo	The MAILING DATE of this communication Reply	ation appears on t	he cover sheet w	ith the correspondence ac	ddress				
WHIC - Exter after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR CHEVER IS LONGER, FROM THE MAnsions of time may be available under the provisions of SIX (6) MONTHS from the mailing date of this community period for reply is specified above, the maximum stature to reply within the set or extended period for reply with reply received by the Office later than three months after the patent term adjustment. See 37 CFR 1.704(b).	ILING DATE OF T 37 CFR 1.136(a). In no e lication. tory period will apply and II, by statute, cause the ap	THIS COMMUNITED THIS COMMUNITED THIS COMMUNITED THE PROPERTY OF THE PROPERTY O	CATION. reply be timely filed NTHS from the mailing date of this c BANDONED (35 U.S.C. § 133).	•				
Status									
1) 又	Responsive to communication(s) filed	on 16 June 2006.							
2a)⊠) This action is							
		•		ters, prosecution as to the	e merits is				
٠,٣	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.								
Dispositi	on of Claims								
4) 🛛	Claim(s) 2-29 is/are pending in the application.								
	4a) Of the above claim(s) is/are withdrawn from consideration.								
5)🖂	Claim(s) <u>13,14,27 and 28</u> is/are allowed.								
	Claim(s) <u>2-12 and 15-26</u> is/are rejected.								
	Claim(s) is/are objected to.								
) Claim(s) is/dire objected to:) Claim(s) are subject to restriction and/or election requirement.								
A pplicati	on Papers								
9)	The specification is objected to by the I	Examiner							
· <u> </u>	10)⊠ The drawing(s) filed on <u>11 June 2004</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.								
·									
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).									
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.									
Priority u	nder 35 U.S.C. § 119								
_	Acknowledgment is made of a claim fo ☑ All b) ☐ Some * c) ☐ None of:	r foreign priority u	nder 35 U.S.C. §	3 119(a)-(d) or (f).					
	1. Certified copies of the priority documents have been received.								
	2. Certified copies of the priority documents have been received in Application No								
	3. Copies of the certified copies of the priority documents have been received in this National Stage								
	application from the International	al Bureau (PCT Ru	ule 17.2(a)).						
* S	see the attached detailed Office action	for a list of the cer	tified copies not	- James	Luly				
				LYNNE A. GURL	ET //				
				PRIMARY PATENT E TC 2800, AU 281					
Attachmen				10 2000) 50 201					
	e of References Cited (PTO-892)			Summary (PTO-413)					
	e of Draftsperson's Patent Drawing Review (PTC		· ·	s)/Mail Date nformal Patent Application (PT)	7 ₋ 1521				
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 5) Notice of Informal Patent Application (PTO-1449 or PTO/SB/08) 6) Other:									

DETAILED ACTION

This Office Action is in response to the Remarks filed on 6/16/06. Currently, claims 2-29 are pending.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

The rejection of claims 2-8, 10, 15, 17-23 and 29 under 35 U.S.C. 102(b) as being anticipated by Yeo et al., US Patent 6,492,216 (Embodiment 2) has been maintained for reasons of record.

Yeo discloses the semiconductor method as claimed. See figures 1-5, 7 and 8 (Embodiment 2), and corresponding text, where Yeo teaches, pertaining to claim 6, a method comprising: providing a semiconductor alloy layer 2 on a semiconductor substrate 1 (figure 1; col. 3, lines 32-65); forming a gate structure 6 on the semiconductor alloy layer 2 (figure 4; col. 4, lines 57-62); forming source and drain regions 7 in the semiconductor substrate 1 on both sides of the gate structure (figure 5; col. 4, lines 63-67; col. 5, lines 1-25); removing at least a portion of the semiconductor alloy layer overlying the source and drain regions (figure 7; col. 5, lines 44-54); and forming a metal silicide region 10 over the source and drain regions (figure 8; col. 5, lines 54-62); wherein removing at least a portion of the semiconductor alloy layer comprises: altering at least a portion of the semiconductor alloy layer to a material receptive to a

Art Unit: 2812

selective removal process (col. 5, lines 50-54); and selectively removing the altered semiconductor alloy layer form overlying the source and drain regions (figure 7; col. 5, lines 50-54). In addition, Yeo teaches, pertaining to claim 2, wherein the selectively removing comprises etching the altered semiconductor alloy layer (figure 7; col. 5, lines 50-54). Also, Yeo teaches, pertaining to claim 3, wherein the selectively removing comprises exposing the altered semiconductor alloy layer to an etchant for a period of time until the altered semiconductor alloy layer overlying the source and drain regions is fully removed (figure 7; col. 5, lines 46-54). Yeo teaches, pertaining to claim 4, wherein the forming a metal silicide region comprises forming a metal silicide region having a metal selected from the group consisting of cobalt and titanium (col. 5, lines 25-42). In addition, Yeo teaches, pertaining to claim 5, wherein removing the altered semiconductor alloy layer comprises using an anisotropic reaction ion etch (col. 5, lines 50-54). In addition, Yeo teaches, pertaining to claim 7, wherein the altering includes oxidizing at least a portion of the semiconductor alloy layer to form a silicon oxide material receptive to a selective wet etch process (figure 4; col. 3, lines 65-67; col. 4, lines 41-62, Note: the Examiner takes the position that the optional capping layer is not used); and wherein the selectively removing includes removing the altered semiconductor alloy layer from overlying the source and drain regions (col. 4, lines 57-62). Also, Yeo teaches, pertaining to claim 8, wherein the altering includes oxidizing at least a portion of the semiconductor alloy layer to form a silicon oxide material receptive to a selective dry etch process (figure 4; col. 3, lines 65-67; col. 4, lines 41-62, Note: the Examiner takes the position that the optional capping layer is not used); and wherein the selectively removing includes removing the altered semiconductor alloy layer from overlying the source and drain regions (col. 4, lines 53-57). Yeo teaches, pertaining to claim 10, wherein

Art Unit: 2812

the altering includes consuming at least a portion of the semiconductor alloy layer to form a metal silicide material receptive to a selective dry etch process (figure 8; col. 5, lines 44-62); and wherein selectively removing includes removing the altered semiconductor alloy layer from overlying the source and drain regions (col. 5, lines 50-54). Pertaining to claim 15, Yeo teaches, wherein the semiconductor alloy layer comprises SiGe (col. 3, lines 30-60). Finally, Yeo teaches, pertaining to claim 16, wherein anneal the metal layer comprises performing a rapid thermal anneal process (col. 5, lines 30-35).

Yeo teaches, pertaining to claim 17, Yeo teaches, wherein a method of forming a semiconductor device, comprising: forming a gate structure 6 on a semiconductor alloy layer 2 in a semiconductor substrate 1 (figure 1; col. 3, lines 32-65); forming source and drain regions 7 in the semiconductor substrate on both sides of the gate structure (figure 5; col. 4, lines 63-67; col. 5, lines 1-25); altering at least a portion of the semiconductor alloy layer overlying the source and drain regions (figure 7; col. 5, lines 44-54); and removing, at least partially, the altered semiconductor alloy layer overlying the source and drain regions (figure 7; col. 5, lines 44-54). In addition, Yeo teaches, pertaining to claim 18, further comprising forming a metal silicide layer over the source and drain regions 10 (figure 8; col. 5, lines 54-62). Also, Yeo teaches, pertaining to claim 19, wherein removing the altered semiconductor alloy layer comprises etching the semiconductor alloy (figure 7; col. 5, lines 44-54). Yeo teaches, pertaining to claim 20, wherein removing the altered semiconductor alloy layer comprises exposing the altered semiconductor alloy layer to an etchant for a period of time until the semiconductor alloy layer overlying the source and drain regions is fully removed (figure 7; col. 5, lines 44-54). In addition, Yeo teaches, pertaining to claim 21, wherein forming a metal silicide region comprises

Art Unit: 2812

forming a metal silicide region having a metal selected from the group consisting of cobalt and titanium (col. 5, lines 25-42). Also, Yeo teaches, pertaining to claim 22, wherein removing the altered semiconductor alloy layer comprises using an anisotropic reaction ion etch to remove at least a portion of the altered semiconductor alloy layer (col. 5, lines 45-54). Yeo teaches, pertaining to claim 23, wherein altering and removing at least a portion of the semiconductor alloy layer comprises: oxidizing at least a portion of the semiconductor alloy layer to form a silicon oxide material receptive to selective etch process (figure 4; col. 3, lines 65-67; col. 4, lines 41-62, *Note*: the Examiner takes the position that the optional capping layer is not used); and selectively removing the altered semiconductor alloy layer from overlying the source and drain regions (col. 4, lines 57-62). Finally, Yeo teaches, pertaining to claim 29, wherein the semiconductor alloy layer comprise SiGe (col. 3, lines 30-60).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The rejection of claims 9, 11, 12, 24, 25 and 26 under 35 U.S.C. 103(a) as being unpatentable over Yeo et al., US Patent 6,492,216 (Embodiment 1) in view of Nagabushnam US Patent 6,171,959 has been maintained for reasons of record.

Yeo discloses the semiconductor method substantially as claimed. See preceding rejection of claims 2-8, 10, 15, 17-23 and 29 (Embodiment 2) under 35 U.S.C. 102(b).

Art Unit: 2812

However, Yeo fails to show in (Embodiment 2), pertaining to claim 9, wherein removing at least a portion of the semiconductor alloy layer comprises: consuming at least a portion of the semiconductor alloy layer to form a metal silicide material receptive to a selective wet etch process; and selectively removing the altered semiconductor alloy layer from overlying the source and drain regions. In addition, Yeo fails to show in (Embodiment 2), pertaining to claim 11, wherein removing at least a portion of the semiconductor alloy layer comprises: forming a metal layer over the semiconductor alloy layer overlying the source and drain regions; annealing the metal layer and the semiconductor alloy layer and forming a metal silicide material; and selectively etching the metal silicide material. Also, Yeo fails to show in (Embodiment 2), pertaining to claim 24, wherein altering and removing at least a portion of the semiconductor alloy layer comprises: consuming at least a portion of the semiconductor alloy layer to form a metal silicide material receptive to a selective etch process; and selectively removing the altered semiconductor alloy layer from overlying the source and drain regions. Finally, Yeo fails to show in (Embodiment 2), pertaining to claim 25, wherein altering and removing at least a portion of the semiconductor alloy layer comprises: forming a metal layer rover the semiconductor alloy layer overlying the source and drain regions; annealing the metal layer and the semiconductor alloy layer and forming a metal silicide material; and selectively etching the metal silicide material.

Yeo teaches in figures 1-5 and 6 (Embodiment 1), and correspond text, pertaining to claim 9, wherein removing at least a portion of the semiconductor alloy layer comprises: consuming at least a portion of the semiconductor alloy layer to form a metal silicide material receptive to a selective wet etch process (figure 6; col. 5, lines 25-43); and selectively removing

Art Unit: 2812

the altered semiconductor alloy layer from overlying the source and drain regions (col. 5, lines 25-43). In addition, Yeo teaches (Embodiment 1), pertaining to claim 11, wherein removing at least a portion of the semiconductor alloy layer comprises: forming a metal layer over the semiconductor alloy layer overlying the source and drain regions (figure 6; col. 5, lines 25-43); annealing the metal layer and the semiconductor alloy layer and forming a metal silicide material 10 (col. 5, lines 30-35); and selectively etching the metal silicide material (col. 5, lines 35-43). Also, Yeo teaches (Embodiment 1), pertaining to claim 12, wherein removing at least a portion of the semiconductor alloy layer comprises: forming a metal layer over the semiconductor alloy layer overlying the source and drain regions (figure 6; col. 5, lines 25-43); annealing the metal layer and the semiconductor alloy layer and forming a disposable metal silicide material 10 (col. 5, lines 30-35); selectively etching the disposable metal silicide material overlying the source and drain regions (col. 5, lines 35-43). Yeo teaches (Embodiment 1), pertaining to claim 24, wherein altering and removing at least a portion of the semiconductor alloy layer comprises: consuming at least a portion of the semiconductor alloy layer to form a metal silicide material receptive to a selective etch process (figure 6; col. 5, lines 25-43); and selectively removing the altered semiconductor alloy layer from overlying the source and drain regions (col. 5, lines 25-43). In addition, Yeo teaches (Embodiment 1), pertaining to claim 25, wherein altering and removing at least a portion of the semiconductor alloy layer comprises: forming a metal layer rover the semiconductor alloy layer overlying the source and drain regions (figure 6; col. 5, lines 26-30); annealing the metal layer and the semiconductor alloy layer and forming a metal silicide material (col. 5, lines 30-35); and selectively etching the metal silicide material (col. 5, lines 35-43). Finally, Yeo teaches (Embodiment 1), pertaining to claim 26, wherein altering and

Art Unit: 2812

removing at least a portion of the semiconductor alloy layer comprises: forming a metal layer over the semiconductor alloy layer overlying the source and drain regions (figure 6; col. 5, lines 25-43); annealing the metal layer and the semiconductor alloy layer and forming a disposable metal silicide material 10 (col. 5, lines 30-35); selectively etching the disposable metal silicide material overlying the source and drain regions (col. 5, lines 35-43).

Nagabushnam, teaches, in figures 1-8, and corresponding text, forming a second metal layer and annealing the second metal layer to form a second silicide (col. 5, lines 34-67).

It would have been obvious to one of ordinary skill in the art to incorporate the follow steps of: wherein removing at least a portion of the semiconductor alloy layer comprises: consuming at least a portion of the semiconductor alloy layer to form a metal silicide material receptive to a selective wet etch process; and selectively removing the altered semiconductor alloy layer from overlying the source and drain regions; wherein removing at least a portion of the semiconductor alloy layer comprises: forming a metal layer over the semiconductor alloy layer overlying the source and drain regions; annealing the metal layer and the semiconductor alloy layer and forming a metal silicide material; and selectively etching the metal silicide material; wherein altering and removing at least a portion of the semiconductor alloy layer comprises: consuming at least a portion of the semiconductor alloy layer to form a metal silicide material receptive to a selective etch process; and selectively removing the altered semiconductor alloy layer from overlying the source and drain regions; wherein altering and removing at least a portion of the semiconductor alloy layer comprises: forming a metal layer rover the semiconductor alloy layer overlying the source and drain regions; annealing the metal layer and

Art Unit: 2812

the semiconductor alloy layer and forming a metal silicide material; and selectively etching the metal silicide material, in the method of Yeo (Embodiment 2), pertaining to claims 9, 11, 24 and 25, according to the teachings of Yeo (Embodiment 1), with the motivation that, since both Embodiments 1 and 2 teach the subsequent formation of metal silicide regions, where a conventionally known advantage is to provide lowered resistance. Therefore, whether the metal silicide regions are formed by the process of Embodiment 1 or 2, would prove to be equivalent since ultimately the goal is to provide the source/drain regions with metal silicide regions.

It would have been obvious to one of ordinary skill in the art, to incorporate, the steps of: forming a second metal layer; and annealing the second metal layer and forming a second metal silicide material, in the method of Yeo, pertaining to claims 12 and 26, according to the teachings of Nagabushnam, with the motivation that, by including an additional metal layer to form silicide regions will help improve the conventional advantages of having a lower resistivity, thereby improving the ohmic contact of the source/drain regions.

Allowable Subject Matter

Claims 13, 14, 27 and 28 are allowed over the prior art of record.

The following is an examiner's statement of reasons for allowance:

The closest prior art of record, Yeo et al., US Patent 6,492,216 alone or in combination with Yeo et al., US Patent 6,492,216 in view of Nagabushnam US Patent 6,171,959, fails to show, the steps of:

Pertaining to claims 13 and 27, "implanting ions of at least one predetermined species into at least a portion of the metal-semiconductor alloy layer;"

Pertaining to claims 14 and 28, "implanting ions of at least one predetermined species into at least a portion of the metal layer;"

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Response to Arguments

Applicant's arguments filed 6/16/06 have been fully considered but they are not persuasive. In the Remarks on pages 2-6:

The Applicant raises the clear issue as whether Yeo alone or in combination thereof, teaches or suggests, altering the material of the semiconductor alloy before etching, and then etching away the altered material.

The Examiner takes the position that in the claims broadest interpretation of the claim, that Yeo alone or in combination thereof, teaches altering the material of the semiconductor alloy before etching, and then etching away the altered material. Specifically, Yeo teaches, that surface of the silicon-germanium-carbon layer (implied semiconductor alloy layer) is thermally oxidized to form a silicon dioxide (implied altered semiconductor layer), and then a wet-etching procedure is performed to remove portions of the silicon dioxide layer (col. 4, lines 40-60).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stanetta D. Isaac whose telephone number is 571-272-1671. The examiner can normally be reached on Monday-Friday 9:30am -6:30pm.

Art Unit: 2812

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Lebentritt can be reached on 571-272-1873. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Stanetta Isaac Patent Examiner August 8, 2006

PRIMARY PATENT EXAMINER
TC 2800, AU 2812

Type of Suly